

Wolverine Brass

Full-Line PEX Fittings, Tubing, Stops, Valves and Accessories




#83640 - Fittings/Accessories Kit

**THE ONLY WAY TO STORE AND ORGANIZE
NEW! PEX FITTINGS ON THE JOB!**

- Packaged in a heavy metal truck-proof box w/handy chart
- Contains all 1/2" and 3/4" brass fittings and copper crimp rings needed for NEW installation or repair
- 158 total parts, 26 different sizes

BOW SuperPex

Multi-Layered pipe for unmatched durability & performance in domestic plumbing applications



Bow SuperPex White Tubing 100 ft.



Sold in 100' Rolls Only (Priced Per Foot)

Cat. #	Description	Qty	Red Hot
83641	1/4" ID x 3/8" OD Tubing	100	
83642	3/8" ID x 1/2" OD Tubing	100	
83643	1/2" ID x 5/8" OD Tubing	100	Red Hot
83644	3/4" ID x 7/8" OD Tubing	100	
83645	1" ID x 1-1/8" OD Tubing	100	

Bow SuperPex Red Tubing - 100 ft.



Sold in 100' Rolls Only (Priced Per Foot)

Cat. #	Description	Qty	Red Hot
85565	3/8" ID x 1/2" OD	100	
85566	1/2" ID x 5/8" OD	100	Red Hot
85567	3/4" ID x 7/8" OD	100	

Bow SuperPex Blue Tubing - 100 ft.



Sold in 100' Rolls Only (Priced Per Foot)

Cat. #	Description	Qty	Red Hot
85568	3/8" ID x 1/2" OD	100	
85569	1/2" ID x 5/8" OD	100	Red Hot
85570	3/4" ID x 7/8" OD	100	

Inner Liner - Protects against chlorine/ORP exposure

Middle Layer - Designed for enhanced UV resistance

Exterior Layer - Also superior chlorine/ORP resistance provides proper color coding

- Compliance with NSF Protocol P171 for NSF-CL-TD and CL-R marks
- Exceeds the proposed requirements of ASTM F876 when tested in accordance with the new ASTM F2023 standard for chlorine resistance
- Meets ASTM F876/877 and bears the NSF-pw mark
- Meets CSA B 137.5 and bears the C NSF-pw mark

Stainless Steel Pex CinchClamps™



Cat. #	Description	Qty	Red Hot
-	-	100	
-	-	100	
-	-	100	
-	-	100	

WB ProSeries

Pex Copper Crimp Rings

• Anodized copper
(100 Per Bag)



Cat. #	Description	Qty \$	Bx Qty
83666	1/2"		100
83667	3/4"		100

Order Today!

Phone: 800-944-9292

Fax: 800-945-9292

www.wolverinebrass.com OR
Call Your District Sales Manager

CinchTool™ - Pex



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
-	-	1		-		-

Compact Crimping Tools for Pex Copper Crimp Rings



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83672	1/2" One Handed Tool	1		-		1
83673	3/4" One Handed Tool	1		-		1

WB ProSeries Adapters (POLY x PEX)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83668	1/2" w/ 2 Rings	1		25		25
83669	3/4" w/ 2 Rings	1		25		25

WB ProSeries Pex Brass Elbows (PEX x PEX)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83663	1/2"	1		25		25
83664	3/4"	1		25		25

WB ProSeries Pex Brass Tees (PEX x PEX x PEX)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83649	1/2"	1		25		25
83650	1/2" x 1/2" x 3/4"	1		25		25
83651	3/4" x 1/2" x 1/2"	1		25		25
83652	3/4" x 1/2" x 3/4"	1		25		25
83653	3/4"	1		25		25
83654	3/4" x 3/4" x 1/2"	1		25		25

WB ProSeries

Pex Brass Male Adapters (PEX x SWEAT)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83661	1/2"	1		25		25
83662	3/4"	1		25		25

WB ProSeries

Pex Brass Female Adapters (PEX x SWEAT)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83657	1/2"	1		25		25
83690	3/4"	1		25		50

WB ProSeries

Pex Brass Male Adapters (PEX x MIP)



(1/2" & 3/4" - 25 Per Bag) (1" - 10 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83658	1/2"	1		25		25
83659	3/4"	1		25		25
83660	1"	1		10		25

WB ProSeries

Pex Brass Couplings (PEX x PEX)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83646	1/2"	1		25		25
83647	3/4" X 1/2"	1		25		25
83648	3/4"	1		25		25

WB ProSeries

Pex Brass Test Plugs



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83670	1/2"	1		25		25
83671	3/4"	1		25		25

WB ProSeries

Pex Brass Drop Ear Elbow (PEX x FIP)



(25 Per Bag)

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
83665	1/2"	1		10		25

WB ProSeries

Quarter-Turn Angle Icemaker Stop

- 1/2" PEX inlet
- 1/4" compression outlet
- Chrome plated brass ball & stem
- Chrome plated forged brass body
- Teflon packing
- Metal oval handle



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
84489	1/2" Pex x 1/4" Comp	1		5		24

WB ProSeries

Quarter-Turn Angle Stop

- 1/2" PEX inlet
- 3/8" compression outlet
- Chrome plated brass ball & stem
- Chrome plated forged brass body
- Teflon packing
- Metal oval handle



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
84478	1/2" Pex x 3/8" Comp	1		5		24

WB ProSeries

Quarter-Turn Straight Stop

- 1/2" PEX inlet
- 1/2" PEX outlet
- Chrome plated brass ball & stem
- Chrome plated forged brass body
- Teflon packing
- Metal oval handle



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
84474	1/2" Pex x 1/2" Pex	1		5		24

WB ProSeries

Quarter-Turn Straight Stop

- 1/2" PEX inlet
- 3/8" compression outlet
- Chrome plated brass ball & stem
- Chrome plated forged brass body
- Teflon packing
- Metal oval handle




Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
84473	1/2" Pex x 3/8" Comp	1		5		24

WolverinePro

PEX Angle Stop

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
52092	1/2" Barbed x 3/8" Comp	1		10		5



WolverinePro

PEX Straight Stop

Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
52093	1/2" Barbed x 3/8" Comp	1		10		25



WBPRO

WB Pro PEX Ball Valves

- Full port
- 600 lb. WOG (water, oil, gas)
- Forged brass body
- 1/4 turn Reversible handle
- Chrome plated brass ball
- Double stem seal (teflon packing and o-ring)



PEX x PEX

Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Bx Qty	Cs Qty
56211	1/2" Pex	1		10		10	100
56212	3/4" Pex	1		10		10	100

PEX x PEX w/Drain

Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Bx Qty	Cs Qty
56215	1/2" Pex W/Drain	1		10		10	100
56216	3/4" Pex W/Drain	1		10		10	100

Sweat x PEX

Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Bx Qty	Cs Qty
56213	1/2" Cx 1/2" Pex	1		10		10	100
56214	3/4" Cx 3/4" Pex	1		10		10	100

WB ProSeries

PEX Ball Valves

- Forged brass
- Standard port
- 400 lb. WOG (water, oil and gas)
- 150 PSI standard steam
- Blow-out proof stem
- Fits PEX on barb end



PEX x PEX Ball Valve

Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Cs Qty
56200	1/2" PEX	1		10		10
56201	3/4" PEX	1		10		10

C x PEX Ball Valves

Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Cs Qty
56202	1/2" C x 1/2" PEX	1		10		10
56203	3/4" C x 3/4" PEX	1		10		10



WB ProSeries

Boiler Drain with PEX End

- Heavy brass casting
- Replaceable seat washer
- Enameled handle
- Stuffing box with special blended graphite based packing
- Pex connection
- Unobstructed waterway
- Double acme seat thread



Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Cs Qty
56210	1/2" MIP or 1/2" Pex Rough Brass	1		10		10

WB ProSeries

Stops with PEX Ends

- PEX connection
- Cast brass body
- Stuffing box with graphite packing
- Cast iron handle



Cat. #	Description	Ea	Ea \$	Qty	Qty \$	Cs Qty
56208	1/2" PEX x PEX	1		10		10
56209	3/4" PEX x PEX	1		10		10

IPS CORPORATION

IPS WATER·TITE



Washing Machine Box w/1/4 Turn Ball Valve & PEX Connection

- 2" center drain coupling with knockout test cap
- Fits PVC and ABS schedule 40
- 1/4 turn adapter ball valve installed
- Box 8-1/4" x 6-1/8" x 3-3/4"
- Frame 10-3/16" x 8-13/16"

Center Outlet Box



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
53445	1/2" Pex Crimp Connection	1		5		10

IPS CORPORATION

IPS WATER·TITE

Washing Machine Box with 1/4 Turn Ball Valve & PEX Connection

- Prevents supply line from crossing P-Trap
- 2" right and left drain coupling with knockout test cap modeled in box

Dual Outlet Box



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
53443	1/2" Pex Crimp Con, Dual Outlet	1		5		10

IPS CORPORATION

IPS WATER·TITE

Chrome 1/4 Turn Washing Machine Outlet Box Valves

- Machined from brass stock, eliminating casting leaks
- Valves comply with ANSI/ASME A112.18.1M



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
80592	1/2" Pex Crimp Connect, Red Hdle	1		6		12
80593	1/2" Pex Crimp Connect, Blue Hdl	1		6		12

IPS CORPORATION

IPS WATER·TITE



Dual Outlet Washing Machine Box w/PEX Connection & Mini Arresters

- Prevents supply lines from crossing P-trap
- 2" drain couplings with knockout test cap molded in box to fit PVC or ABS sch. 40 DWV
- Extended mounting flange and unique box design eliminates the need for extra fittings, tubing, support framing and labor in standard 16" stud bay installation
- Snap-on frame with hot and cold supply designation embossed on front, accommodates up to 1" drywall
- Box 8-1/4" x 6-1/8" x 3-3/4"
- Frame 10-3/16" x 8-13/16"

Dual Outlet Box



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
53458	Dual Outlet Pex Conn/Arresters	1		2		10

IPS CORPORATION

IPS WATER·TITE



IPS® Water·Tite Icemaker Box with 1/4 Turn Ball Valve

- Contour box design allows easy valve access
- One-piece box & flange design eliminates extra support framing and labor
- Snap on frame accommodates up to 3/4" drywall
- 1/4 turn adapter ball valve installed
- Box 5-3/4" x 4-7/8" x 3-1/2"
- Frame 8-1/4" x 7-5/16"



Cat. #	Description	Mn	Ea \$	Qty	Qty \$	Bx Qty
53433	1/2" PEX crimp connection	1		5		10

Order Now!